



Sep 30, 2015 10:13 BST

Essve launches three new compressors for small and medium nailing jobs

Essve launches three new compressors suitable for small and medium nailing jobs, from ledging and door linings to roof truss and panels. The new models C 5/10, C 16/10 and C 20/10 are compact and easy to handle and complete Essve's range of compressors.

– Our new premium compressors are compact as well as easy to use and deliver a high performance. The robust compressors provide a smooth and safe delivery of pressure to the tool all through the working day. They are designed to provide Nordic craftsmen the right conditions, enabling

efficiency, flexibility and safe nailing jobs, says Stefan Carlsson, product manager at Essve.

Essve CM 5/10 is an oil free compressor and compatible with a range of finishing nail machines. The compressor is easy to handle and is suited for simpler ledging and door lining work.

Essve 16/10 is a practical compressor; with double air connections it is suitable for medium sized work like panels and roof truss. The model is equipped with puncture free tyres and a mount for hose reel.

Essve 20/10 with its oil based lubrication works best in temperate environments. The model is durable and the dual connection to the air system makes it eligible for medium sized work. The compressor has a mount for a hose reel, adjustable handles as well as puncture proof tyres for easy and secure mobility.

Availability

ESSVE Compressor C 5/10, C 16/10 and C 20/10 are available at selected retailers.

ESSVE Compressor C 5/10			
Air delivery (6 Bar)	34 L/min	Weight	11 kg
Maximum working pressure	8,8Bar	Measure	370x370x340mm
Sound level	75 dB	Tank capacity	4 L
Service Interval	1000 h	Effect	0,5 Hk
Lubrication	Oil-free	Cylinders	1
Electrical connection	1 phase 230V		
ESSVE Kompressor C 16/10			
Air delivery (6 Bar)	165 L/min	Weight	39 kg
Maximum working pressure	10Bar	Measure	670x520x530mm
Sound level	85 dB	Tank capacity	16 L
Service Interval	1000 h	Effect	2,5 Hk

Lubrication	Oil-free	Cylinders	1
Electrical connection	1 phase 230V		
ESSVE Kompressor C 20/10			
Air delivery (6 Bar)	166 L/min	Weight	44 kg
Maximum working pressure	10Bar	Measure	800x530x580mm
Sound level	82 dB	Tank capacity	20 L
Service Interval	1000 h	Effect	2,5 Hk
Lubrication	Oil lubricated	Cylinders	1
Electrical connection	1 phase 230V		

Essve develops and markets a wide assortment of fastening products and solutions. Since 1970 Essve has enabled partners and customers to become more efficient.

In close collaboration with resellers, professional craftsmen and industrial clients, Essve develops innovative fastening solutions making work easier and securing lasting results.

Contacts



David Hardarson

Press Contact

Marketing Manager

david.hardarson@essve.se

+46 (0)70 576 56 95